




MIST ELIMINATION



Mueller Environmental Designs, Inc.



**Air Filtration
Evaporative Cooling
Noise Control
Mist Elimination
Turnkey Projects**



Venting Hydrocarbon Mist Extraction Applications



Gas Compressor Station Blowdown Separator/Silencer

- ◆ Post And Pre-lube Pump Motor Vent
- ◆ Starting Air or Gas Motor Vent Waste Tank Vent
- ◆ Reciprocating Engine and Turbocharger Case Vent
- ◆ Compressor Rod Packing Vent
- ◆ Portable Pipeline Compressor and Station Blowdown Vents
- ◆ ESD and Safety Relief Valve Operator Vent
- ◆ Gas Motor Driven Valve Operator Vent
- ◆ Gas Over Hydraulic Oil Valve Operator Vent
- ◆ Gas Storage Well Unloading Vent
- ◆ Pipeline Suction Sludge Scrubber



Solar Centaur Starting Gas Vent Separator



Compressor Rod Packing Vent Separator



Gas Motor Operated Post and Pre-lube Pump Vent Separator



Gas Pipeline Suction Scrubber Sump Tank Vent Mist Extractor



Reciprocating Engine Crank Case and Turbo Charger Case Vent Coalescer



Portable Pipeline Blowdown Separator/Silencer



Gas Motor Operated Valve Operator Without Vent Mist Extractor



Gas Motor Operated Valve Operator With Vent Mist Extractor Removes 99.8% All Entrained Liquids 6 Microns and Larger



Gas Motor operated valve operator with vent mist extractor removes 99.8% all entrained liquids 6 microns and larger with one gallon liquid holding sump



Multi-connection Gas Over Hydraulic Valve Actuator Vent Mist Extractor-15 Gallon Sump



Valve Actuator Vent Mist Extractor - Removes 99.99% All Entrained Liquids 6 Microns and Larger



Gas Storage Well Unloader Blowback Separator - Designed To Free Flow 4" Side Valve, 3" Choke, 2" Top Valve, and 1" Siphon Drain. Unit Will Remove 99.8% All Entrained Liquid 6 Microns and Larger. System Design Employs Two Stages Of Separation Enabling the Device to Take Large Volumes of Liquid Slugs. Unit Design Incorporates 500 Gallon Liquid Holding Sump.




Gas Motor Operated Valve Operator With Vent Mist Extractor/Silencer Removes 99.8% All Entrained Liquids 6 Microns and Larger and Reduces Vent Noise to 85 Dba at 3 Ft.



Gas Over Hydraulic Valve Actuator Vent Mist Extractor Removes 99.98% of all Entrained Liquids 6 Microns and Larger



Pipeline Suction Sludge Scrubber



Model 119 KLS-2

Mueller Environmental Designs, Inc.

7607 Wright Road

Houston, Texas 77041

713-465-0995

Fax 713-465-0997

E-Mail: sales@muellerenvironmental.com

www.muellerenvironmental.com